

SST 560

E-URBAN




Touring e-bike with comfortable geometry for long touring trips, featuring a high-quality Shimano Steps E6100 motor and semi-integrated battery with a capacity of 500 Wh and the range up to 185 km*. The suspension fork together with a suspension seat post enables you to manage mild off-road tracks as well as dirt roads. Thanks to the hydraulic disc brakes, lights powered by the bike battery, and resistant tires with a reflective stripe, you will arrive safe and sound from your trips. On your long tour rides, you can appreciate full equipment: fenders, a kickstand, and a carrier with AVS system for easy attaching of bags.

- Shimano Steps E6100 motor with a capacity of 250 W and 60 Nm
- Semi-integrated battery with the capacity of 504 Wh and the range up to 185 km*
- E-TUBE PROJECT individual setting using E-Tube Shimano application
- Suspension seat post, a comfortable saddle, adjustable stem
- Full touring equipment: carrier, fenders, lights, kickstand, etc.

THROUGH THE CITY AND BEYOND

The most versatile e-bike system in our collection, the E6100 is packed with high-tech features. It's designed for everything from busy traffic commuting to leisurely trips through





**DRIVE
UNIT**

2,76 kg

**MAX
TORQUE**

60 Nm
(Sportive)
50 Nm
(Comfort)

**MAX
SUPPORT**

200 %

**POWER ASSIST
MODES**

Eco | Normal |
High

RANGE

185
km*

SPECIFICATION SPARE PARTS

FRAMESET

HEAD SET

FSA No.10 Semi-Cartridge

FORK

SR Suntour NEX-DS, 1-1/8", Coil, QR Type, 50mm travel

COLOUR

MATTE BROWN

SIZES

DRIVETRAIN

GEARS

1x10

SHIFTER

SHIMANO DEORE SL-M6000-R RapidFire Plus, 10-speed

REAR DERAILLEUR

SHIMANO DEORE RD-T6000 Shadow

CRANKSET

SHIMANO FC-E6100, 44T

CASSETTE

COOKIE SETTINGS

KMC e10S

PEDALS

Marwi SP-823COMPONENTS

HANDLEBAR

ONE1 Alloy, NRAL124BT, 38° backsweep, 38mm rise, 620mm, 31.8mm

STEM

ONE1 TDS-C2698 Alloy, 31.8mm, 0°/+90°

GRIPS

HERRMANS LINE DD36BL, HERRMANS LINE DD36BR

BRAKES

SHIMANO BL-MT200/BR-MT200, hydraulic disc brake

SADDLE

Selle Royal Nuvola

SEAT POST

ONE1 Alloy, SPS 405, 27.2mmWHEELS

FRONT HUB

SHIMANO HB-M3050, 36H, CENTER LOCK, QR Type

REAR HUB

SHIMANO FH-M3050, 36H, CENTER LOCK, M10x135mm, QR Type

CST Xpedium Ampero, 700x38C, reflective tape

SPOKES

Sapim Leader

E-BIKE

DRIVE UNIT

SHIMANO STEPS E6100, 36V, 250W, 60Nm

BATTERY

SHIMANO STEPS, BT-E8010, 36V, 504 Wh, frame mount

DISPLAY

SHIMANO SC-E6100, Clamp band

CHARGER

SHIMANO EC-E6002 1.8A

ACCESSORIES

FRONT LIGHT

AXA Blueline 30

REAR LIGHT

AXA Blueline**MANUAL**

Manufacturers reserve the right to vary specifications, including colors, with or without notice at such times in such manner as deemed appropriate. Major as

[COOKIE SETTINGS](#)